


INSIDE SILOS TEMPERATURE MULTIPOINTS ROPE SENSORS

How to order (Example)




Code TH **P**

IP 65, DN40 PN6 flanged fitting

Stiffened rope type

Measurement points number

Accessory



Code TH **S**

IP 65, chain fitting (under-roof)

Stiffened rope type


Measurement points number

Accessory

INSIDE SILOS TEMPERATURE MULTIPPOINTS ROPE SENSOR


VERSION CONNECTION HEAD

Code TH



Digit **P** IP65 connection , carbon steel flanged DN40 PN6

Digit **Z** Special



Digit **S** IP65 connection for under roof mounting
complete of chain and accessories





INSIDE SILOS TEMPERATURE MULTIPOINTS ROPE SENSORS

Stiffened rope type

Code TH


1 - PEHD lined thickness 2mm

2 - Nylon pipe ø 10, 2 - Nylon pipe ø 8



1

2




L = max 25

ø8

15

ø17

LOAD CHART



Digit 0 L Flex rope , max load 4500Kg. L=max 25-30m




Digit 9 9 Special



INSIDE SILOS TEMPERATURE MULTIPPOINTS ROPE SENSORS

TEMPERATURE SENSOR TYPE

Code TH



Digit	0	1	0	2	0	3	0	4	0	5	0	6	0	7	0	8	0	9	1	0	1	1	1	2
Digit	9	9	Special																					



INSIDE SILOS TEMPERATURE MULTIPINTS ROPE SENSORS

Temperature sensor type

Code TH



- Digit **A** None
- Digit **B** Multi-wire cable for MUX connection
- Digit **C** Temperature sensor
- Digit **Z** Special






LEKTRA

ORGANIC GRANULATES "INSIDE SILOS" TEMPERATURE MEASUREMENT

Collegamenti Versione con AGRITHERM10


BACK VIEW

FRONT VIEW



INSIDE SILOS TEMPERATURE MULTIPOINTS ROPE SENSORS

AGRITHERM20 version electrical wiring



PRELIMINARY



INSIDE SILOS TEMPERATURE MULTIPOINTS ROPE SENSORS

AGRITHERM40 version electrical wiring

